

VERPACKUNGSANWEISUNG

ThorPak®
70A-114111

Kennzahlen

Bezeichnung	Baumustergeprüfter Kunststoffladungsträger
Außenmaße	1200 x 1000 x 752 mm
Innenmaße	1092 x 892 x 564 mm
Tara Gewicht	72 kg
max. Bruttogewicht	552 kg
Zulässige Auflast	1666 kg
UN-Verpackungszulassung	UN 50H/Y/0526/CN/C311209/3000/552



Prüfung vor der Verpackungsaktivität:

- Transportkisten auf Beschädigungen überprüfen und ggf. zur Instandsetzung beauftragen.
- Es dürfen nur transportsichere Batterien beladen werden.
- Nachweis durch Transportbewertungsprotokoll.

DER TRANSPORT BEI FEHLENDEM BEWERTUNGSPROTOKOLL ODER NICHT TRANSPORTSICHEREN ZUSTAND IST VERBOTEN

Beschreibung

Es handelt sich um eine Großverpackung aus Kunststoff für LITHIUM-METALL-BATTERIEN (einschließlich Batterien aus Lithiumlegierungen) UN 3090, oder LITHIUM-IONEN-BATTERIEN (einschließlich Lithium-Ionen-Polymer-Batterien) UN 3480. Die Bauart richtet sich nach den folgenden geltenden Gefahrgutvorschriften: ADR, RID, ADN und IMDG, entsprechend den Verpackungsanweisungen LP903 für eine maximale Bruttomasse von 552 kg.

Getestet & zertifiziert nach

GB 19432-2009 entspricht,
ADR, 2025 edition.
RID, 2025 edition.
ADN, 2025 edition.
IMDG, Code Amendment 42-24 edition.
According to norm **UNE-EN ISO 16495:2022 Annex I and regulations** in force:
ADR, ADN, RID and IMDG, Chapter 6.6 Section 6.6.5.3.1 + 6.6.5.3.3 + 6.6.5.3.4

UN Nr.	Name & Beschreibung	Klasse	Verpackungsgruppe	Verpackungsvorschriften
3090	LITHIUM-METALL-BATTERIEN (einschließlich Batterien mit Lithiumlegierung)	9	II, III	LP903
3480	LITHIUM-IONEN-BATTERIEN (einschließlich Batterien mit Lithiumlegierung)	9	II, III	LP903

VERPACKUNGSANWEISUNG

ThorPak®

70A-114111

1. Palette so ausrichten, dass die Kennzeichnung "VORNE - FRONT" nach vorn zeigt
2. Behälterring mit "TOP" nach oben auf die Palette setzen
3. Behälterring mit den 4 Schieberiegeln, die an der Paletten Unterseite angebracht sind, mit der Palette verriegeln
4. EPP Teile in den Behälter einsetzen ("FRONT" nach vorne)
5. Deckel auf den Behälter setzen
6. Deckel mit den 4 Schieberiegeln, die auf der Deckel Oberseite angebracht sind, mit dem Behälter verriegeln



	Material	Gewicht
Typ:	114111	
Palette	HDPE / Alu / PE / Stahl / Edelstahl	19,5 kg
Deckel	HDPE / Alu / Stahl / Edelstahl	9,7 kg
Behälterring	HDPE / Holz / Stahl	19,3 kg
Insert	Schaumbehälter EPP	- - -



上海海关工业品与原材料检测技术中心

Technical Center for Industrial Products and Raw Materials Inspection and Testing of Shanghai Customs District
上海市浦东新区河北路299号 No.299, Mianbei Road, Pudong New District, Shanghai, China TEL: +86 21 68549152

Inspection/Testing Report

Page 1 of 2

State Key Inspection And Testing Laboratory of Paper,
Pulp and Packaging(Shanghai)
Tel: 021*60757752
No. 208 Lian Fa Road, Shanghai

Application No.: 926090287

Date Issued: May.25, 2026

Applicant: wi-sales GmbH

Commodity: Twin-sheet Pack 114111

Sample source: submitted by the applicant

Sample mark:  50H/Y/0526
CN/C311209/3000/552

Declared
Quantity/Weight: 3 PCS /***

Sample arrival time: May.18,2026

Inspection time: May.19,2026 ~ May.21,2026

Sample description: Information provided by the applicant:

1. Sample size: 1200×1000×752 (mm)
2. Tare weight of the sample: 72 kg
3. Gross weight of the sample: 552 kg

Test method: 1. GB 19432-2009 Safety code for inspection of large packagings for dangerous goods
2. Applicant requirement

Inspection/Testing Results:

Part One: performance test

Item(s)	Technique Demand (Packing Grup II)	Test Results	Inspection Result
Stacking Test	Test load: 3000 kg Test duration : 24 h Content : solid simulants	Complies with the performance test requirements for the stacking test specified in Table 2, Clause 7.1, Performance Requirements of GB 19432-2009	PASS
Drop Test	Drop height : 1.2m Drop orientation : bottom face Content : solid simulants	Complies with the performance test requirements for the drop test specified in Table 2, Clause 7.1, Performance Requirements of GB 19432-2009	PASS
NOTE	The pretreatment of drop test: the temperature of the test sample and its contents has been reduced to -18℃ or lower.		



VERPACKUNGSANWEISUNG

ThorPak®
70A-114111



上海海关工业品与原材料检测技术中心

Technical Center for Industrial Products and Raw Materials Inspection and Testing of Shanghai Customs District
上海市浦东新区沔北路299号 No.299, Mianbei Road, Pudong New District, Shanghai, China TEL: +86 21 68549152

Page 2 of 2

Application No.: 926090287

Part Two: sample photo



Chief Inspector:

Handwritten signature in blue ink

