


ThorPak® Medium T



Systeme

815 × 615	1200 × 800	1230 × 830	1600 × 800
1150 × 975	1200 × 1000	1500 × 1200	1600 × 1200
1230 × 1030	1300 × 1200	1350 × 1200	1680 × 1200
	1750 × 813	1800 × 1200	2000 × 1200



Material

Typ	MT 0806 H 700	MT 1150-6 H 1000	MT 1208 H 900	MT 1210 H 1000	MT 1512 H 1000	MT 1612 H 1000	MT 1230x1030 H 1000	MT 1300x1200 H 1000	MT 1350x1200 H 1000	MT 1680x1200 H 750
Palette	TwinSheet HDPE									
Hochregalfähig	-	<input checked="" type="checkbox"/> stahl- verstärkt	-	-	-	-	<input checked="" type="checkbox"/> stahl- verstärkt	<input checked="" type="checkbox"/> stahl- verstärkt	<input checked="" type="checkbox"/> stahl- verstärkt	
Deckel	TwinSheet HDPE							AP PP	TwinSheet HDPE	AP PP
Behälterring	PP · 10 mm · 3000 g/m ²									



Gewichte und Volumen

Typ	MT 0806 H 700	MT 1150-6 H 1000	MT 1208 H 900	MT 1210 H 1000	MT 1512 H 1000	MT 1612 H 1000	MT 1230x1030 H 1000	MT 1300x1200 H 1000	MT 1350x1200 H 1000	MT 1680x1200 H 750
Taragewicht	15 kg	36 kg	25 kg	28 kg	41 kg	43 kg	29 kg	36 kg	37 kg	46 kg
Nutzlast	200 kg	300 kg	280 kg	300 kg	300 kg	300 kg	300 kg	300 kg	300 kg	300 kg
Auflast	900 kg	1350 kg	1300 kg	1300 kg	1350 kg	1350 kg	1350 kg	1350 kg	1350 kg	1350 kg
Volumen- reduzierung	1 : 3	1 : 4	1 : 4	1 : 4	1 : 4	1 : 4	1 : 4	1 : 4	1 : 4	1 : 4



Abmessungen in mm

Typ	MT 0806 H 700	MT 1150-6 H 1000	MT 1208 H 900	MT 1210 H 1000	MT 1512 H 1000	MT 1612 H 1000	MT 1230x1030 H 1000	MT 1300x1200 H 1000	MT 1350x1200 H 1000	MT 1680x1200 H 750	
außen	B	815	1150	1200	1200	1500	1600	1230	1300	1350	1680
	T	615	975	800	1000	1200	1200	1030	1200	1200	1200
	H	700	1000	900	1000	1000	1000	1000	1000	1000	750
innen	B	755	1112	1140	1140	1440	1540	1175	1240	1290	1620
	T	555	937	740	940	1140	1140	965	1140	1140	1140
	H	495	820	700	800	800	800	800	857,5	800	607,5
gefaltet	B	815	1150	1200	1200	1500	1600	1230	1300	1350	1680
	T	615	975	800	1000	1200	1200	1030	1200	1200	1200
	H	247 (-15)	-	254 (-22)	254 (-22)	245 (-22)	245 (-22)	232,5 (-15)	242 (-20)	247 (-15)	220 (-20)



Stapelfaktor

Typ	MT 0806 H 700	MT 1150-6 H 1000	MT 1208 H 900	MT 1210 H 1000	MT 1512 H 1000	MT 1612 H 1000	MT 1230x1030 H 1000	MT 1300x1200 H 1000	MT 1350x1200 H 1000	MT 1680x1200 H 750
Voll	1 + 3	1 + 4	1 + 4	1 + 4	1 + 4	1 + 4	1 + 4	1 + 4	1 + 4	1 + 4
Gefaltet	1 + 10	Stack mit 10 Behältern	1 + 10	1 + 10	1 + 10	1 + 10	1 + 10	1 + 10	1 + 10	1 + 10



Lkw

Typ	MT 0806 H 700	MT 1150-6 H 1000	MT 1208 H 900	MT 1210 H 1000	MT 1512 H 1000	MT 1612 H 1000	MT 1230x1030 H 1000	MT 1300x1200 H 1000	MT 1350x1200 H 1000	MT 1680x1200 H 750
Vollgut	264	78	102	78	54	48	66	60	60	64
Leergut	726	286	374	286	198	176	242	220	220	176

AUFLAST MIT
2-FACHER
SICHERHEIT



GETESTET BEI
-20°C bis +60°C